

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.usplo.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/771,381	02/05/2004	Shuichi Kohayashi	118575	3326
25944	7590 06/12/2007		EXAMINER	
OLIFF & BE P.O. BOX 199	RRIDGE, PLC			
	A, VA 22320		ART UNIT	· PAPER NUMBER

DATE MAILED: 06/12/2007

Please find below and/or attached an Office communication concerning this application or proceeding.



UNITED STATES DEPARTMENT OF COMMERCE U.S. Patent and Trademark Office

DATE MAILED:

Address: COMMISSIONER FOR PATENTS

P.O. Box 1450

Alexandria, Virginia 22313-1450

APPLICATION NO./ CONTROL NO.	FILING DATE	FIRST NAMED INVENTOR / PATENT IN REEXAMINATION		ATTORNEY DOCKET NO.	
10771381	2/5/04	KOHAYASHI ET AL.	118575		
		EXAMINER			
OLIFF & BERRIDGE, PLC ` P.O. BOX 19928 ALEXANDRIA, VA 22320			Ishwar (I. B.) Patel		
ALEXANDRIA, VA 22	.320		ART UNIT	PAPER	
		·	2841	20070606	

Please find below and/or attached an Office communication concerning this application or proceeding.

Commissioner for Patents

A non-responsive amendment letter attached.

Art Unit: 2841

Response to Amendment

1. The reply filed on March 8, 2007 is not fully responsive to the prior Office Action because of the following omission(s) or matter(s): Independent claim 7 is amended adding new limitation "said metallic electrodes and the mating conductors are disposed so as to be overlapped on each other, and a surface area of this overlapped part is larger than a sum of sectional areas of the metallic electrodes and sectional areas of the mating conductors" and stated that support for the amendment to the claim could be found on page 56, line 2-14 and figures 8A-10, for example. However, on careful review of the case, it was noticed that the figure 8A-8D, discloses different specie than that disclosed by figure 9A-9C. Therefore, the amended claim 7 does not read on the elected specie of figure 9A-9C but rather read on the specie of figure 8A-8D and therefore distinct from the claim previously examined.

As 35 U.S.C. 132 (b) and 37 CFR 1.114 provide continued examination of an application (and not examination of a continuing application, the applicant cannot file an RCE to obtain continued examination on the basis of claims that are independent and distinct from the claims previously claimed and examined as a matter of right (i. e. applicant cannot switch inventions), see 37 CFR 1.145.

See 37 CFR 1.111. Since the above-mentioned reply appears to be bona fide, applicant is given **ONE** (1) **MONTH or THIRTY** (30) **DAYS** from the mailing date of this notice, whichever is longer, within which to supply the omission or correction in order to avoid abandonment. EXTENSIONS OF THIS TIME PERIOD MAY BE GRANTED UNDER 37 CFR 1.136(a).

Application/Control Number: 10/771,381 Page 3

Art Unit: 2841

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Ishwar (I. B.) Patel whose telephone number is (571) 272 1933. The examiner can normally be reached on M-F (8:30 - 5:00).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Dean Reichard can be reached on (571) 272 1984. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

ibp June 6, 2007 Ishwar (I. B.) Patel Primary Examiner